UNEXPLAINED SYNCOPE

Cardiac Risk-Assessment Checklist





HIGH-RISK RED FLAGS

When evaluating syncope patients, the following criteria are deemed high-risk and favour further evaluation in an expedited time frame.

1300 743 278 (1300 R HEART)
GROUND FLOOR, 161 NORTH RD,
BRIGHTON, VIC, 3186
info@rotarhearthealth.com.au

SYNCOPE PATIENT CHARACTERISTICS:

- Complete loss of consciousness
- Loss of motor control
- Patient awoke on his/her own
- Short event (<5 min)</p>
- Event <u>not due</u> to head trauma, epilepsy, major bleed

SYNCOPE CIRCUMSTANCES

- ☐ SYNCOPE WHILE SUPINE
- ☐ SYNCOPE DURING EXERTION
- ☐ INJURY CAUSED BY SYNCOPE

SYMPTOMS BEFORE SYNCOPE

- ☐ Absence of prodrome
- Chest pain/discomfort
- □ Breathlessness
- Palpitations

PATIENT HISTORY

- Family history of sudden cardiac death at young age
- Severe structural heart disease or coronary artery disease
- ☐ New ECG abnormalities
- Occupational risk to patient



IF 1 OR MORE RED FLAGS, FAST-TRACK FOR FURTHER EVALUATION
In-hospital observation OR cardiology*